




SPHERICAL PLAIN BEARINGS



RADIAL TYPE
Metric Size




Bearing Number With Seals - 2RS	Dimensions				Angle of tilt ∞	∞ 1	Weight	
	d	D	B	C			kg	Lbs
	In. mm	In. mm	In. mm	In. mm	Degrees			
GE 6 E	0.2362 6	0.5512 14	0.2362 6	0.1575 4	13	-	0.004 0.009	
GE 8 E	0.315 8	0.6299 16	0.315 8	0.1969 5	15	-	0.008 0.018	
GE 10 E	0.3937 10	0.748 19	0.3543 9	0.2362 6	12	-	0.012 0.026	
GE 15 ES	0.5906 15	1.0236 26	0.4724 12	0.3543 9	8	-	0.032 0.07	
GE 15 ES-2RS	0.5906 15	1.0236 26	0.4724 12	0.3543 9	8	-	0.032 0.07	
GE 17 ES	0.6693 17	1.1811 30	0.5512 14	0.3937 10	10	-	0.05 0.11	
GE 17 ES-2RS	0.6693 17	1.1811 30	0.5512 14	0.3937 10	10	-	0.05 0.11	
GE 20 ES	0.7874 20	1.378 35	0.6299 16	0.4724 12	9	6	0.065 0.14	
GE 20 ES-2RS	0.7874 20	1.378 35	0.6299 16	0.4724 12	9	6	0.065 0.14	
GE 25 ES	0.9843 25	1.6535 42	0.7874 20	0.6299 16	7	4	0.12 0.26	
GE 25 ES-2RS	0.9843 25	1.6535 42	0.7874 20	0.6299 16	7	4	0.12 0.26	
GE 30 ES	1.1812 30	1.8504 47	0.8661 22	0.7087 18	6	4	0.16 0.35	
GE 30 ES-2RS	1.1812 30	1.8504 47	0.8661 22	0.7087 18	6	4	0.16 0.35	
GE 35 ES	1.378 35	2.1653 55	0.9843 25	0.7874 20	6	4	0.23 0.51	
GE 35 ES-2RS	1.378 35	2.1653 55	0.9843 25	0.7874 20	6	4	0.23 0.51	
GE 40 ES	1.5748 40	2.4409 62	1.1024 28	0.8661 22	7	4	0.32 0.70	
GE 40 ES-2RS	1.5748 40	2.4409 62	1.1024 28	0.8661 22	7	4	0.32 0.70	
GE 45 ES	1.7717 45	2.6772 68	1.2598 32	0.9843 25	7	4	0.46 1.01	
GE 45 ES-2RS	1.7717 45	2.6772 68	1.2598 32	0.9843 25	7	4	0.46 1.01	
GE 50 ES	1.9688 50	2.9528 75	1.378 35	1.1024 28	6	4	0.56 1.23	
GE 50 ES-2RS	1.9688 50	2.9528 75	1.378 35	1.1024 28	6	4	0.56 1.23	
GE 60 ES	2.3622 60	3.5433 90	1.7323 44	1.4173 36	6	3	1.10 2.42	
GE 60 ES-2RS	2.3622 60	3.5433 90	1.7323 44	1.4173 36	6	3	1.10 2.42	



SPHERICAL PLAIN BEARINGS



RADIAL TYPE Metric Size



Bearing Number With Seals - 2RS	Dimensions				Angle of tilt ∞ Degrees	∞ 1	Weight	
	d	D	B	C			kg	Lbs
	In. mm	In. mm	In. mm	In. mm				
GE 70 ES-2RS	2.7559 70	4.1339 105	1.9291 49	1.5748 40	6	4	1.55 3.42	
GE 80 ES	3.1496 80	4.7245 120	2.1654 55	1.7717 45	6	4	2.30 5.07	
GE 80 ES-2RS	3.1496 80	4.7245 120	2.1654 55	1.7717 45	6	4	2.30 5.07	
GE 90 ES	3.5433 90	5.1181 130	2.3622 60	1.9688 50	5	3	2.75 6.06	
GE 90 ES-2RS	3.5433 90	5.1181 130	2.3622 60	1.9688 50	5	3	2.75 6.06	
GE 100 ES	3.9370 100	5.9055 150	2.7559 70	2.1564 55	7	-	4.45 9.81	
GE 100 ES-2RS	3.9370 100	5.9055 150	2.7559 70	2.1564 55	7	-	4.45 9.81	
GE 110 ES	4.3307 110	6.2992 160	2.7559 70	2.1564 55	6	-	4.82 10.63	
GE 110 ES-2RS	4.3307 110	6.2992 160	2.7559 70	2.1564 55	6	-	4.82 10.63	
GE 120 ES	4.7244 120	7.0866 180	3.6465 85	2.7559 70	6	-	8.05 17.75	
GE 120 ES-2RS	4.7244 120	7.0866 180	3.6465 85	2.7559 70	6	-	8.05 17.75	
GE 140 ES	5.5118 140	8.2677 210	3.5433 90	2.7559 70	7	-	11.02 24.3	
GE 140 ES-2RS	5.5118 140	8.2677 210	3.5433 90	2.7559 70	7	-	11.02 24.3	
GE 160 ES	6.2992 160	9.0551 230	4.1339 105	3.1496 80	8	-	14.01 30.89	
GE 160 ES-2RS	6.2992 160	9.0551 230	4.1339 105	3.1496 80	8	-	14.01 30.89	
GE 180 ES	7.0866 180	10.2362 260	4.1339 105	3.1496 80	6	-	18.65 41.12	
GE 180 ES-2RS	7.0866 180	10.2362 260	4.1339 105	3.1496 80	6	-	18.65 41.12	